



Superior Quality Portable Bars – bestportablebars.com

VERSATI LUMI LED Lighting Kit

Installation Instructions

IMPORTANT: Warnings and Cautions

Metal edges and corners could be sharp. One should use protection gloves while manipulating the bar or any metal parts.

Some parts can be too heavy or too large to be lifted and carried by one person alone. If unsure about your ability to lift and manipulate a part by yourself, ask for others' help. Why risk injuring yourself? A bar is a social thing anyway! Avoid lifting and manipulating the bar parts in proximity to children or pets.

Place the bar in a safe place to avoid accidents.


Although the bar and lighting are made to resist to unexpected spills and rain, keep the bar top, controller, and electric connections safe from direct spill, water, and rain.

Important Warranty Information


BEST portable bars come with a limited warranty of one year after the date of purchase against manufacturing defects. Damages resulting from shipping, handling, misuse, bad maintenance, negligence, or any other factor that cannot be controlled by Avec Flair Bar Solutions Inc. are not covered by this warranty.

How to Install The LUMI Lighting Kit

1. The kit comes in 3 parts:
 - 1) Two LED bars on stainless angles, attached on both ends of a white vinyl backdrop
 - 2) Controller and remote control
 - 3) Power supply



2. Put the LED bars at the bottom of the bar. Align the larger bar – double led strip – with the front of the portable bar. The transparent diffuser shall be facing upwards and the white vinyl backdrop shall be on the back side.



3. Pull up the other stainless steel angle supporting the narrow LED bar. Attach it to the vertical edge of the shelf by inserting it between the two metal lips. The LED bar shall be closer to the front, with the horizontal part of the angle facing towards the shelf.



4. Peel of the plastic film protecting the sticky part of the Velcro behind the controller.



5. (1) Stick the controller on the top LED bar. Make sure the Velcro is stuck on the stainless steel angle, not on the vertical part of the shelf. (2) Plug the two cables coming out of the LED bars into the controller.



6. (1) Plug the power supply into the controller. We recommend passing the power supply cable on top of the controller so that it is not in the way when working. (2) Bring the power cable down and pass it through the bottom shelf hole.



That's it, you're all set!